

Nader's Pest Raiders 5533 Wesconnett Blvd Jacksonville, FL 32244-1949 904-771-5566

## **Service Inspection Report**

## ORDER #: 28740139

WORK DATE: 7/6/17

BILL-TO		347252	LOCATION	361369	Tim	ne Out:	7/6/17 11:21 AM	
Cornerstone (	@ Watermill	577232	Cornerstone @ V			stomer Sigr		
Dlivia Fitch					Cu	o.g.		
P.O. Box 198			8529-8541 Towe 8529,8535,8541	r Falls Dr				
/ulee, FL 32041 Email: ofitch@pmsiofflorida.com			Jacksonville, FL	Jacksonville, FL 32244-4999			Customer is unavailable to sign	
Phone:		904-225-9070 x126		Email: ofitch@pmsiofflorida.com		Technician Signature		
	Alt. Phone:	904-733-6424 x2		hone: 904-733-64		/_/	$\frown$	
	Mobile:	904-573-2095 xeaton	А	It. Phone: 904-225-90	70 x127	14_		
						an Doran		
					Lice	ense #:		
Purchase (	Order	Terms	Service Des	cription	Q	uantity		
		NET 30	Pest Control Servi	-	1.0			
GENERAL (	COMMENT	S / INSTRUCTION	IS					
None Noted.								
CONDITIO	NS / OBSE	RVATIONS	Reported S	everity F	Responsibility		Reviewed	
None Noted.								
PEST ACTI	VITY	# Areas	# Devices	Pest To	otals			
PEST ACTI None Noted.	VITY	# Areas	# Devices	Pest To	otals			
	VITY	# Areas	# Devices	Pest To	otals			
	VITY	# Areas	# Devices	Pest To	otals			
None Noted.			# Devices	Pest To	otals			
None Noted.		# Areas	# Devices	Pest To	otals			
None Noted.			# Devices	Pest To	otals			
None Noted.			# Devices	Pest To	otals			
None Noted.	ISPECTION		# Devices	Pest To	otals			
None Noted.	ISPECTION		# Devices	Pest To	otals			
None Noted.	ISPECTION		# Devices	Pest To	otals			
None Noted.	ISPECTION		# Devices	Pest To	otals			
None Noted. DEVICE IN AREA COM None Noted.	ISPECTION	I SUMMARY	# Devices	Pest To	otals			
None Noted. DEVICE IN AREA COM None Noted. DEVICE IN	ISPECTION		# Devices	Pest To	otals			
None Noted. DEVICE IN AREA COM None Noted.	ISPECTION	I SUMMARY	# Devices	Pest To	otals			
None Noted. DEVICE IN AREA COM None Noted. DEVICE IN	ISPECTION	I SUMMARY	# Devices	Pest To	otals			
None Noted. DEVICE IN AREA COM None Noted. DEVICE IN None Noted.	ISPECTION	I SUMMARY	# Devices	Pest To	otals			
None Noted.  DEVICE IN AREA COM None Noted.  DEVICE IN None Noted.  INSPECTIC	ISPECTION IMENTS ISPECTION	I SUMMARY		Pest To				
None Noted.  DEVICE IN AREA COM None Noted.  DEVICE IN None Noted.  INSPECTIC	ISPECTION	I SUMMARY	<i># Devices</i>	Pest To	status	Pest Fin	dings	
None Noted.  DEVICE IN AREA COM None Noted.  DEVICE IN None Noted.  INSPECTIC Area T EXTERIOR	ISPECTION IMENTS ISPECTION ON DETAIL	I SUMMARY	Туре	Pest To	Status	Pest Fin	dings	
None Noted. DEVICE IN AREA COM None Noted. DEVICE IN None Noted. INSPECTIC Area T EXTERIOR 1	ISPECTION IMENTS ISPECTION ON DETAIL Fime 1:21:10 AM	I SUMMARY				Pest Fin	dings	
None Noted.  DEVICE IN AREA COM None Noted.  DEVICE IN None Noted.  INSPECTIC Area T EXTERIOR 1:	ISPECTION IMENTS ISPECTION ON DETAIL Fime 1:21:10 AM	I SUMMARY	Туре	Pest To	Status	Pest Fin	dings	
None Noted.  DEVICE IN AREA COM None Noted.  DEVICE IN None Noted.  INSPECTIC Area T EXTERIOR	ISPECTION IMENTS ISPECTION ON DETAIL Fime 1:21:10 AM	I SUMMARY	Type Area Finished Qty	Pest To	Status		dings Time Lot #	

1.0000 Gallon

Backpack sprayer

EXT PERIMETER treatment to

0.0250%

n/a

Temprid SC .025

432-1483

11:20:43 AM



Nader's Pest Raiders 5533 Wesconnett Blvd Jacksonville, FL 32244-1949 904-771-5566

## ORDER #: 28740139

WORK DATE: 7/6/17

I RODOCIO AI	PLIED						
Material	A.I. %	Finished Qty	Application Equipment	Application Rate	Time		
EPA #	A.I. Concentration	Undiluted Qty	Application Method	Sq/Cu/L Ft	Lot #		
			foundation				
Target Pests:							
Areas Applied:							
Comment:	Thank you for your business!						
xciter 4.25 oz/gal	2.2000%	8.0000 Ounce	Compressed air sprayer		11:21:10 AM		
xciter 4.25 oz/gal 55-798	2.2000% n/a	8.0000 Ounce	Compressed air sprayer VOID Application to wall and equipment voids.		11:21:10 AM		

## CUSTOMER INSTRUCTIONS & PRECAUTIONS

Contact Treated Areas - Do not allow unprotected persons, children, or pets to touch, enter, or replace items or bedding, to contact or enter treated area(s) until dry.

Ventilation/Re-Occupying - Vacate & keep area(s) closed up to 30 minutes after treatment, then ventilate area(s) for up to 2 hours before re-occupying.

Equipment/Processing/Food - Thoroughly wash dishes, utensils, food preparation/processing equipment & surfaces with an effective cleansing compound & rinse with clean water, if not removed or covered during a treatment. The area should be odor free before food products are placed in the area.

Exterior Applications (baits) - Do not allow grazing of feed, lawn, or sod clippings by livestock after bait applications.

Do not burn treated firewood for 1 month after treatment.

We value your business and your continued loyalty and as your Service Professional, I am proud to go Beyond the Call and provide you with uncompromised service. You may notice a slight increase with the cost of your ongoing service. We continue to manage our costs to keep our prices as low as possible, however it was necessary for us to implement this nominal increase at this time. Thank you for trusting us to protect your home and family.