

Nader's Pest Raiders 5533 Wesconnett Blvd Jacksonville, FL 32244-1949 904-771-5566

Service Inspection Report

ORDER #: 28743775

WORK DATE: 7/6/17

| | | 247252 | | 40720 | | Time In: | 7/6/17 12:33 PM | |
|--|----------------------------------|---|---|----------------------|-----------------------|----------------------------------|------------------------|--|
| BILL-TO | @ \Wata | 347252 | LOCATION | 40728 | | Fime Out: Customer Sign | 7/6/17 12:56 PM | |
| Cornerstone @ Watermill Olivia Fitch P.O. Box 1987 Yulee, FL 32041 Email: ofitch@pmsiofflorida.com | | 9456 Grand F 9456-9462-94 Jacksonville, F | Cornerstone @ Watermill 9456 Grand Falls Dr 9456-9462-9468-9474 Jacksonville, FL 32244-4996 Email: ofitch@pmsiofflorida.com | | | vailable to sign | | |
| | Phone: | 904-225-9070 x126 | Phone: 904-225-9070 x114 | | | Technician Signature | | |
| | Alt. Phone: Mobile: | 904-733-6424 x2 904-573-2095 xeaton | | Alt. Phone: 904-733- | | H | < | |
| | | | | | | Sean Doran L icense #: | | |
| Purchase C | Order | Terms | Service D | escription | | Quantity | | |
| None | | COD | Pest Control S | ervice | | 1.00 | | |
| GENERAL O | COMMENT | S / INSTRUCTION | IS | | | | | |
| exterior only | | | | | | | | |
| CONDITIO | NS / OBSE | RVATIONS | Reported | Severity | Responsibility | | Reviewed | |
| None Noted. | | | | | | | | |
| | | | | | | | | |
| PEST ACTI | VITY | # Areas | # Device | es Pest | Totals | | | |
| None Noted. | | # Areas | # Device | es Pest | Totals | | | |
| None Noted. | ISPECTION | | # Device | es Pest | Totals | | | |
| None Noted. | ISPECTION | I SUMMARY | # Device | es Pest | Totals | | | |
| None Noted. DEVICE IN AREA COM None Noted. DEVICE IN | ISPECTION | | # Device | es Pest | Totals | | | |
| None Noted. | ISPECTION | I SUMMARY | # Device | es Pest | Totals | | | |
| None Noted. DEVICE IN AREA COM None Noted. DEVICE IN None Noted. | ISPECTION | I SUMMARY | # Device | es Pest | Totals | | | |
| None Noted. DEVICE IN AREA COM None Noted. DEVICE IN None Noted. | ISPECTION | I SUMMARY | # Device | es Pest | Totals | Pest Finc | lings | |
| None Noted. DEVICE IN AREA COM None Noted. DEVICE IN None Noted. INSPECTIC | ISPECTION IMENTS ISPECTION | I SUMMARY | | es Pest | | Pest Finc | lings | |
| None Noted. DEVICE IN AREA COM None Noted. DEVICE IN None Noted. INSPECTIC | ISPECTION | I SUMMARY | Туре | es Pest | Status | Pest Finc | lings | |
| None Noted. DEVICE IN AREA COM None Noted. DEVICE IN None Noted. INSPECTIC | ISPECTION | I SUMMARY | Туре | es Pest | Status No Activity | on Rate | lings Time Lot # | |

0.0250%

n/a

1.0000 Gallon

Backpack sprayer

EXT PERIMETER treatment to

Temprid SC .025

432-1483

12:49:22 PM



Nader's Pest Raiders 5533 Wesconnett Blvd Jacksonville, FL 32244-1949 904-771-5566

ORDER #: 28743775

WORK DATE: 7/6/17

| PRODUCTS APPLIED | | | | | | | | | |
|--|------------------------------|---------------|---|------------------|-------------|--|--|--|--|
| Material | A.I. % | Finished Qty | Application Equipment | Application Rate | Time | | | | |
| EPA # | A.I. Concentration | Undiluted Qty | Application Method | Sq/Cu/L Ft | Lot # | | | | |
| | | | foundation | | | | | | |
| Target Pests: | | | | | | | | | |
| Areas Applied: EXTERIOR -> Landscaped Areas; EXTERIOR -> Foundation; EXTERIOR -> Impervious Surface - (sidewalk, driveway, etc); EXTE EXTERIOR -> Window Trim; EXTERIOR -> Door Trim; | | | | | | | | | |
| Comment: | Thank you for your business! | | | | | | | | |
| Exciter 4.25 oz/gal | 2.2000% | 12.0000 Ounce | Compressed air sprayer | | 12:50:19 PM | | | | |
| 55-798 | n/a | | VOID Application to wall and equipment voids. | | | | | | |
| | | | | | | | | | |

CUSTOMER INSTRUCTIONS & PRECAUTIONS

Contact Treated Areas - Do not allow unprotected persons, children, or pets to touch, enter, or replace items or bedding, to contact or enter treated area(s) until dry.

Ventilation/Re-Occupying - Vacate & keep area(s) closed up to 30 minutes after treatment, then ventilate area(s) for up to 2 hours before re-occupying.

Equipment/Processing/Food - Thoroughly wash dishes, utensils, food preparation/processing equipment & surfaces with an effective cleansing compound & rinse with clean water, if not removed or covered during a treatment. The area should be odor free before food products are placed in the area.

Exterior Applications (baits) - Do not allow grazing of feed, lawn, or sod clippings by livestock after bait applications.

Do not burn treated firewood for 1 month after treatment.

We value your business and your continued loyalty and as your Service Professional, I am proud to go Beyond the Call and provide you with uncompromised service. You may notice a slight increase with the cost of your ongoing service. We continue to manage our costs to keep our prices as low as possible, however it was necessary for us to implement this nominal increase at this time. Thank you for trusting us to protect your home and family.